

# 5200 Megafoam, 5203 Super Megafoam

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Revision Date: 05/05/2015

Date of issue: 05/05/2015

Version: 1.0

## SECTION 1: IDENTIFICATION

### 1.1. Product Identifier

**Product Name:** 5200 Megafoam, 5203 Super Megafoam

### 1.2. Intended Use of the Product

Specialty Car wash solution

### 1.3. Name, Address, and Telephone of the Responsible Party

#### Company

Ardex Laboratories, Inc.

2050 Byberry Rd

Philadelphia, PA 19116

T 215-698-0500

[ardexlabs.com](http://ardexlabs.com)

### 1.4. Emergency Telephone Number

**Emergency Number** : 800-424-9300

CHEMTREC – TOLL FREE 24 HOUR EMERGENCY TELEPHONE NUMBER

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the Substance or Mixture

#### Classification (GHS-US)

Skin Irrit. 3 H316 Full text of H-phrases: see section 16

Eye Irritant 2b H320

### 2.2. Label Elements

#### GHS-US Labeling

**Hazard Pictograms (GHS-US)** :

**Signal Word (GHS-US)** : Warning

**Hazard Statements (GHS-US)** : Causes mild skin irritation  
Causes eye irritation

**Precautionary Statements (GHS-US)** : P332 + P313 If skin irritation occurs: Get medical advice/attention.

P264 Wash thoroughly after handling.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

### 2.3. Other Hazards

Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.

**2.4. Unknown Acute Toxicity (GHS-US)** No data available

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

Not applicable

### 3.2. Mixture

| Name                                 | Product Identifier  | % (w/w) |
|--------------------------------------|---------------------|---------|
| Mixed surfactant (Trade Secret)      |                     | <40     |
| Na4 EDTA                             | (CAS No) 10378-23-1 | <20     |
| Water, dye, fragrance (TRADE SECRET) |                     | <40     |

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of First Aid Measures

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label if possible).

**Inhalation:** Remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.

**Skin Contact:** Remove contaminated clothing. Drench affected area with water or soap and water for at least 15 minutes. Wash contaminated clothing before reuse. Obtain medical attention if irritation develops or persists.

# 5200 Megafoam, 5203 Super Megafoam

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

**Eye Contact:** Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

**Ingestion:** Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention following exposure or if feeling unwell. If necessary, call a poison center or physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway.

### 4.2. Most Important Symptoms and Effects Both Acute and Delayed

**General:** Causes skin irritation.

**Inhalation:** May cause respiratory irritation.

**Skin Contact:** Causes skin irritation. Not classified as corrosive to the skin according to DOT guidelines.

**Eye Contact:** May cause eye irritation.

**Ingestion:** May be harmful if ingested in large quantities.

**Chronic Symptoms:** None expected under normal conditions of use.

### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If you feel unwell, seek medical advice (show the label where possible).

## SECTION 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing Media

**Suitable Extinguishing Media:** Use an extinguishing agent suitable for the surrounding fire.

**Unsuitable Extinguishing Media:** No specific treatment

### 5.2. Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Not considered flammable but may burn at high temperatures.

**Explosion Hazard:** Product is not explosive.

**Reactivity:** Hazardous reactions will not occur under normal conditions.

### 5.3. Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire. Under fire conditions, hazardous fumes will be present.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** Carbon oxides (CO, CO<sub>2</sub>).

### Reference to Other Sections

Refer to section 9 for flammability properties.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Avoid all contact with skin, eyes, or clothing. Avoid breathing (vapor, mist, spray).

#### 6.1.1. For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### 6.1.2. For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

### 6.2. Environmental Precautions

May be harmful to the environment if released in large quantities. Avoid dispersal of spilled concentrate material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material in concentrate

### 6.3. Methods and Material for Containment and Cleaning Up

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Clear up spills immediately and dispose of waste safely. Spills should be contained with mechanical barriers. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

# 5200 Megafoam, 5203 Super Megafoam

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

### 6.4. Reference to Other Sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for Safe Handling

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Comply with applicable regulations.

**Storage Conditions:** Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

**Incompatible Materials:** None classified.

### 7.3. Specific End Use(s)

Cleaning

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government.

#### Acute inhalation toxicity

Na4 EDTA  
(CAS No) 10378-23-1

Vapors are primarily water; single exposure is not likely to be hazardous. Prolonged excessive exposure to mist may cause serious adverse effects, even death. Mist may cause irritation of upper respiratory tract (nose and throat).  
As product: The LC50 has not been determined.

### 8.2. Exposure Controls

**Appropriate Engineering Controls:** Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.

**Personal Protective Equipment:** Protective goggles. Gloves. Protective clothing.



**Materials for Protective Clothing:** Chemically resistant materials and fabrics.

**Hand Protection:** Wear chemically resistant protective gloves.

**Eye Protection:** Chemical goggles or safety glasses.

**Skin and Body Protection:** Wear suitable protective clothing.

**Respiratory Protection:** If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn.

**Environmental Exposure Controls:** Do not allow the product to be released into the environment.

**Consumer Exposure Controls:** Do not eat, drink or smoke during use.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on Basic Physical and Chemical Properties

|                  |                          |
|------------------|--------------------------|
| Physical State   | : Liquid                 |
| Appearance       | : Clear , free-flowing   |
| Odor             | : -                      |
| Odor Threshold   | : Not available          |
| pH               | : Not available          |
| Evaporation Rate | : Not available          |
| Melting Point    | : Not available          |
| Freezing Point   | : 32 °F (0 °C)           |
| Boiling Point    | : 212-231°F (100-112 °C) |
| Flash Point      | : None                   |

# 5200 Megafoam, 5203 Super Megafoam

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

|   |                      |
|---|----------------------|
| Auto-ignition Temperature                         | : Not available      |
| Decomposition Temperature                         | : Not available      |
| Flammability (solid, gas)                         | : Not available      |
| Lower Flammable Limit                             | : Not Available      |
| Upper Flammable Limit                             | : Not Available      |
| Vapor Pressure                                    | : Not available      |
| Relative Vapor Density at 20 °C                   | : Not available      |
| Relative Density                                  | : Not available      |
| Specific Gravity                                  | : 1-1.2 (@20 DEG. C) |
| Solubility  | : Miscible           |
| Partition Coefficient: N-Octanol/Water            | : Not available      |
| Viscosity   | : Not available      |
| Viscosity, Dynamic                                | : Notavailable       |
| Explosion Data – Sensitivity to Mechanical Impact | : Not available      |
| Explosion Data – Sensitivity to Static Discharge  | : Not available      |

### SECTION 10: STABILITY AND REACTIVITY

- 10.1. Reactivity:** Hazardous reactions will not occur under normal conditions.
- 10.2. Chemical Stability:** Stable under recommended handling and storage conditions (see section 7).
- 10.3. Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.
- 10.4. Conditions to Avoid:** Direct sunlight. Extremely high or low temperatures. Incompatible materials.
- 10.5. Incompatible Materials:** Strong acids. Strong bases. Strong oxidizers.
- 10.6. Hazardous Decomposition Products:** Decomposition products may include the following materials:  
metal oxide/oxides

### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1. Information on Toxicological Effects – Product

##### Acute toxicity

| Product/ingredient name | Result              | Species | Dose        | Exposure |
|-------------------------|---------------------|---------|-------------|----------|
| Na4 EDTA                | LD50 Oral LD50 Oral | Rat Rat | 3,030 mg/kg |          |

##### Irritation/Corrosion

| Product/ingredient name  | Result  | Species | Score | Exposure | Observation |
|--|---|---------|-------|----------|-------------|
| Na4 EDTA<br>Carcinogenicity<br>Although large dietary doses of NTA have caused urinary tumors in laboratory animals, there is little likelihood that NTA could cause cancer in humans, specially at subtoxic doses. The trisodium salt of EDTA did not cause cancer in laboratory animals. | Acute dermal toxicity<br>Prolonged skin contact is unlikely to result in absorption of harmful amounts. |         | -     |          | -           |

##### Sensitization

There is no data available.

##### Mutagenicity

There is no data available.

# 5200 Megafoam, 5203 Super Megafoam

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

## Carcinogenicity

There is no data available.

## Reproductive toxicity

There is no data available

## Teratogenicity

There is no data available

## Specific target organ toxicity (single exposure)

| Name   |  |  |  |
|--|--|--|--|
| Na4 EDTA<br>Specific Target Organ Systemic Toxicity (Single Exposure)<br>Available data are inadequate to determine single exposure specific target organ toxicity |  |  |  |

## Specific target organ toxicity (repeated exposure)

| Name;    |  |  |  |
|----------|--|--|--|
| Na4 EDTA | For the minor component(s):<br>In animals, effects have been reported on the following organs:<br>Kidney.<br>Urinary tract.<br>Repeated excessive exposures may alter concentrations of metals in the body.<br>In animals, has been shown to cause deposition of calcium salts in various urinary tract tissues. |  |  |

## Aspiration hazard

There is no data available.

**Information on the likely routes of exposure** : Dermal contact. Eye contact. Inhalation. Ingestion.

## Potential acute health effects

**Eye contact** : Causes serious eye irritation.  
**Inhalation** : No known significant effects or critical hazards.  
**Skin contact** : Causes skin irritation.  
**Ingestion** : Irritating to mouth, throat and stomach.

## Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : Adverse symptoms may include the following: pain or irritation watering redness  
**Inhalation Skin contact** : No known significant effects or critical hazards.  
: Adverse symptoms may include the following: irritation redness  
**Ingestion** : No known significant effects or critical hazards.

## Delayed and immediate effects and also chronic effects from short and long term exposure Short term exposure

**Potential immediate effects** : No known significant effects or critical hazards.

**Potential delayed effects** : No known significant effects or critical hazards.

## Long term exposure

**Potential immediate effects** : No known significant effects or critical hazards.

**Potential delayed effects** : No known significant effects or critical hazards.

## Potential chronic health effects

**General** : May cause damage to organs through prolonged or repeated exposure. No known significant effects or critical hazards.  
**Carcinogenicity**:  
**Mutagenicity** : No known significant effects or critical hazards. No known significant effects or critical hazards.  
**Teratogenicity** :

# 5200 Megafoam, 5203 Super Megafoam

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

**Developmental effects :** No known significant effects or critical hazards.

**Fertility effects :** No known significant effects or critical hazards.

### **Numerical measures of toxicity Acute toxicity estimates**

| Route             | ATE value              |
|-------------------|------------------------|
| Oral for Na4 EDTA | LD50, Rat, 3,030 mg/kg |

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

| Product/ingredient name  | Result          | Species | Exposure |
|--|-----------------|---------|----------|
| Na4EDTA<br>Toxicity<br>Acute toxicity to fish<br>Material is practically non-toxic to fish on an acute basis | LC50 > 100 mg/L |         |          |

**Persistence and degradability** – No data available

**Bioaccumulative potential** – No data available

### **Mobility in soil**

Soil/water partition – There  
coefficient (Koc)

Other adverse effects – No known significant effects or critical hazards

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Sewage Disposal Recommendations:** This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations. Disposal methods: DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER. All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator. AS YOUR SUPPLIER, WE HAVE NO CONTROL OVER THE MANAGEMENT PRACTICES OR MANUFACTURING PROCESSES OF PARTIES HANDLING OR USING THIS MATERIAL. THE INFORMATION PRESENTED HERE PERTAINS ONLY TO THE PRODUCT AS SHIPPED IN ITS INTENDED CONDITION AS DESCRIBED IN MSDS SECTION: Composition Information. FOR UNUSED & UNCONTAMINATED PRODUCT, the preferred options include sending to a licensed, permitted: Recycler. Reclaimer.

## SECTION 14: TRANSPORT INFORMATION

14.1. In Accordance with DOT Not regulated for transport

14.2. In Accordance with IMDG Not regulated for transport

14.3. In Accordance with IATA Not regulated for transport

14.4. In Accordance with TDG Not regulated for transport

## SECTION 15: REGULATORY INFORMATION

### 15.1. US Federal Regulations

| 5200 Megafoam, 5203 Super Megafoam  |   |
|-------------------------------------|---|
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard<br>Delayed (chronic) health hazard<br>Reactive hazard |
| Clean Water Act (CWA) 311           | Pentasodium triphosphate  |

### Water (7732-18-5)

|   |
|---|
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |
|---|

### 15.2. US State Regulations

#### State regulations

05/05/2015

EN (English US)

6 / 7

# 5200 Megafoam, 5203 Super Megafoam

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

---

- Massachusetts : The following components are listed: Pentasodium triphosphate  
New York : The following components are listed: Pentasodium triphosphate  
New Jersey : None of the components are listed.  
Pennsylvania : The following components are listed: Pentasodium triphosphate

### California Prop. 65

No products were found.

### International regulations

#### International lists

- Australia inventory (AICS): Not determined.  
China inventory (IECSC): Not determined. Japan inventory: Not determined.  
Korea inventory: Not determined.  
Malaysia Inventory (EHS Register): Not determined.  
New Zealand Inventory of Chemicals (NZIoC): Not determined.  
Philippines inventory (PICCS): Not determined.  
Taiwan inventory (CSNN): Not determined.

Chemical Weapons Convention List Schedule I Chemicals: Not listed

Chemical Weapons Convention List Schedule II Chemicals: Not listed

Chemical Weapons Convention List Schedule III Chemicals: Not listed

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Revision Date** : 05/05/2015

**Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

#### Party Responsible for the Preparation of This Document

Ardex Laboratories, Inc. 2050 Byberry rd Philadelphia, PA 19116 T: 215-698-0500 ardexlabs.com

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*

North America GHS US 2012