

Safety Data Sheet
2-B Clean/2-B Clean HD

SECTION 1: Identification

Product identifier

Product name 2-B Clean/2-B Clean HD
Product number 5212/5212hd

Recommended use of the chemical and restrictions on use

All purpose cleaner

Supplier's details

Name Ardex Labs.
Address 2050 Byberry Rd
Philadelphia, PA 19116
United States of America

Telephone 2156980500
email info@ardexlabs.com

Emergency phone number(s)

800-424-9300
CHEMTREC – TOLL FREE 24 HOUR EMERGENCY TELEPHONE
NUMBER

SECTION 2: Hazard identification

Classification of the substance or mixture

- Eye damage/irritation (chapter 3.3), Cat. 1
- Skin corrosion/irritation (chapter 3.2), Cat. 1B

GHS label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)

H314 Causes severe skin burns and eye damage
H318 Causes serious eye damage

Precautionary statement(s)

Safety Data Sheet

2-B Clean/2-B Clean HD

Prevention

P260

Do not breathe dust/fume/gas/mist/vapours/spray.

P264

Wash hands and exposed skin thoroughly after handling.

P280

Wear protective gloves/protective clothing/eye protection/face protection.

Response

P301+P330+P331

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

P310

Immediately call a POISON CENTER/doctor

P363

Wash contaminated clothing before reuse.

Storage

P405

Store locked up.

Disposal

P501

Dispose of contents/container to local, state, and federal regulations

SECTION 3: Composition/information on ingredients

Mixtures

Hazardous components

Component	Concentration
SODIUM HYDROXIDE/ WATER 50/50 SOLUTION (CAS no.: 1310-73-2; EC no.: 215-185-5; Index no.: 011-002-00-6)	5 % (Weight)
CLASSIFICATIONS: Eye damage/irritation (chapter 3.3), Cat. 1; Hazardous to the aquatic environment - acute hazard (chapter 4.1), Cat. 3; Hazardous to the aquatic environment - long-term hazard (chapter 4.1), Cat. 3; Skin corrosion/irritation (chapter 3.2), Cat. 1A. HAZARDS: No data available.	
POTASSIUM HYDROXIDE liquid (CAS no.: 1310-58-3; EC no.: 215-181-3; Index no.: 019-002-00-8)	5 % (Weight)
CLASSIFICATIONS: Acute toxicity (chapter 3.1), Cat. 4; Skin corrosion/irritation (chapter 3.2), Cat. 1A. HAZARDS: H302 - Harmful if swallowed; H314 - Causes severe skin burns and eye damage.	
Poly(oxy-1,2-ethanediyl), alpha-undecyl-omega-hydroxy- (CAS no.: 34398-01-1)	5 % (Weight)
CLASSIFICATIONS: Acute toxicity, oral (chapter 3.1), Cat. 4; Eye damage/irritation (chapter 3.3), Cat. 1. HAZARDS: No data available.	
Quaternary ammonium compounds, coco alkylbis(hydroxyethyl)methyl, ethoxylated, chlorides (CAS no.: 61791-10-4)	5 % (Weight)
CLASSIFICATIONS: Eye damage/irritation (chapter 3.3), Cat. 1; Hazardous to the aquatic environment - long-term hazard (chapter 4.1), Cat. 2. HAZARDS: H318 - Causes serious eye damage; H411 - Toxic to aquatic life with long lasting effects.	

Trade secret statement (OSHA 1910.1200(i))

The exact concentration and name of some ingredients have been withheld in accordance with OSHA Hazcom 1910.1200(i) standards.

SECTION 4: First-aid measures

Description of necessary first-aid measures

General advice

Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label if possible).

If inhaled

Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce

Safety Data Sheet

2-B Clean/2-B Clean HD

vomiting unless directed to do so by medical personnel.
If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway.

In case of skin contact	Get medical attention immediately. Call a poison center or physician. Wash with plenty of soap and water. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 20 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.
In case of eye contact	Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. Chemical burns must be treated promptly by a physician.
If swallowed	Do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or doctor/physician. If vomiting occurs, keep head low so that stomach content does not enter lungs.
Personal protective equipment for first-aid responders	See section 8 for PPE recommendations

Most important symptoms/effects, acute and delayed

General: Symptoms of chemical burns may be delayed. Keep victim under observation
Inhalation: May give off gas, vapor or dust that is very irritating or corrosive to the respiratory system
Skin Contact: Causes severe burns.
Eye Contact: Causes serious eye damage
Ingestion: Toxic if swallowed. May cause burns to mouth, throat, and stomach.
Chronic Symptoms: None expected under normal conditions of use.

SECTION 5: Fire-fighting measures

Suitable extinguishing media

Suitable Extinguishing Media: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable Extinguishing Media: None known

Specific hazards arising from the chemical

Fire Hazard: Not considered flammable but may burn at high temperatures.
Explosion Hazard: Product is not explosive.

Special protective actions for fire-fighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire. Under fire conditions, hazardous fumes will be present.

Further information

Firefighting Instructions: Use water spray or fog for cooling exposed containers. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.
Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.
Hazardous Combustion Products: Carbon dioxide, carbon monoxide, sulfur oxides, phosphorous oxides,

Safety Data Sheet

2-B Clean/2-B Clean HD

halogenated compounds

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

General Measures: Avoid all contact with skin, eyes, or clothing. Avoid breathing (vapor, mist, spray).

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Methods and materials for containment and cleaning up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clear up spills immediately and dispose of waste safely. Spills should be contained with mechanical barriers. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

Precautions for safe handling

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Conditions for safe storage, including any incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use.

Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Strong acids. Strong bases. Strong oxidizers.

Specific end use(s)

Vehicle cleaning product

SECTION 8: Exposure controls/personal protection

Control parameters

CAS: 1310-73-2 (EC: 215-185-5)

SODIUM HYDROXIDE/ WATER 50/50 SOLUTION

ACGIH: 2mg/m³ Ceiling; NIOSH: 2mg/m³ Ceiling; OSHA: 2 mg/3 PEL-TWA

CAS: 61791-10-4

Quaternary ammonium compounds, coco alkylbis(hydroxyethyl)methyl, ethoxylated, chlorides
TWA

CAS: 74-87-3

methyl chloride

ACGIH: 100ppm STEL; 50ppm TWA; OSHA: 200ppm STEL; 100ppm twa

Safety Data Sheet

2-B Clean/2-B Clean HD

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.

Individual protection measures, such as personal protective equipment (PPE)

Pictograms



Eye/face protection

Eye Protection: Chemical goggles or safety glasses.

Skin protection

Skin and Body Protection: Wear suitable protective clothing.

Respiratory protection

If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn.

Thermal hazards

No data available.

Environmental exposure controls

Do not allow the product to be released into the environment.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance/form	Clear , free-flowing lavender color with a characteristic error
Odor	Hydrocarbon-Fruity odor
Odor threshold	No data available.
pH	13
Melting point/freezing point	20 °F (-9 °C)
Initial boiling point and boiling range	221-231°F (105-112 °C)
Flash point	No data available.
Evaporation rate	No data available.
Flammability (solid, gas)	No data available.
Upper/lower flammability limits	No data available.
Vapor pressure	16.2 (@20 DEG. C.)
Vapor density	No data available.
Relative density	1-1.2 (@20 DEG. C)
Solubility(ies)	Miscible
Partition coefficient: n-octanol/water	No data available.
Auto-ignition temperature	No data available.
Decomposition temperature	No data available.
Viscosity	No data available.
Explosive properties	No data available.
Oxidizing properties	No data available.

SECTION 10: Stability and reactivity

Reactivity

Hazardous reactions will not occur under normal conditions.

Chemical stability

Stable under recommended handling and storage conditions (see section 7).

Possibility of hazardous reactions

Hazardous polymerization will not occur.

Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Incompatible materials.

Incompatible materials

Strong acids. Strong bases. Strong oxidizers.

Hazardous decomposition products

Decomposition products may include the following materials: phosphorus oxides metal oxide/oxides

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

Quaternary ammonium compounds, coco alkylbis(hydroxyethyl)methyl, ethoxylated, chlorides

LD50 Skin

Remarks: FHSA Skin irritation index = 4.0

Poly(oxy-1,2-ethanediyl), alpha-undecyl-omega-hydroxy-

LC50 Oral - Rat - 1000-2000 mg/kg

Poly(oxy-1,2-ethanediyl), alpha-undecyl-omega-hydroxy-

LC50 Skin - Rabbit - >2000 mg/kg

Sodium metasilicate pentahydrate

Serious eye damage/irritation

Quaternary ammonium compounds, coco alkylbis(hydroxyethyl)methyl, ethoxylated, chlorides

Remarks: This product has not been tested. The information is derived from products of a similar composition.

Respiratory or skin sensitization

No data available.

Germ cell mutagenicity

No data available.

Carcinogenicity

No data available.

Reproductive toxicity

Safety Data Sheet

2-B Clean/2-B Clean HD

No data available.

Summary of evaluation of the CMR properties

No data available.

STOT-single exposure

No data available.

STOT-repeated exposure

No data available.

Aspiration hazard

No data available.

Additional information

No data available.

SECTION 12: Ecological information

Toxicity

Poly(oxy-1,2-ethanediyl), alpha-undecyl-omega-hydroxy-
LC50 - Pimephales promelas (fathead minnow) - 1-10ml/l - 96hr

Poly(oxy-1,2-ethanediyl), alpha-undecyl-omega-hydroxy-
LC50 - Daphnia magna (water flea) - 1-10ml/l - 96hr

Poly(oxy-1,2-ethanediyl), alpha-undecyl-omega-hydroxy-
LC50 - Algea - 1-10ml/l - 96hr

SODIUM HYDROXIDE/ WATER 50/50 SOLUTION

EC50 - Daphnia magna (water flea) - 34.59-47.13 mg/l - 48h

SODIUM HYDROXIDE/ WATER 50/50 SOLUTION

LC50 - Western mosquitofish (Gambusia affinis) - 125mg/l - 96h

Persistence and degradability

Quaternary ammonium compounds, coco alkylbis(hydroxyethyl)methyl, ethoxylated, chlorides

Result: Not readily biodegradable

Poly(oxy-1,2-ethanediyl), alpha-undecyl-omega-hydroxy-

Result: Readily biodegradable, as defined by OECD, substance that degrades > 60-70% within a 10 day window over 28 days.

Bioaccumulative potential

No data available.

Mobility in soil

No data available.

Results of PBT and vPvB assessment

No data available.

Safety Data Sheet

2-B Clean/2-B Clean HD

Other adverse effects

No data available.

SECTION 13: Disposal considerations

Disposal of the product

Sewage Disposal Recommendations: This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

Disposal of contaminated packaging

Do not reuse containers.

Waste treatment

Dispose of only in accordance with local, state, and federal regulations.

Sewage disposal

Do not allow product to enter sewers, waterways, or soil.

Other disposal recommendations

No data available.

SECTION 14: Transport information

DOT (US)

UN Number: 1760

Class: 8

Packing Group: PGII

Proper Shipping Name: Compounds, cleaning liquid (Containing Potassium Hydroxide),

Reportable quantity (RQ):

Marine pollutant:

Poison inhalation hazard:

IMDG

UN Number:

Class:

Packing Group:

EMS Number:

Proper Shipping Name:

IATA

UN Number:

Class:

Packing Group:

Proper Shipping Name:

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

Massachusetts Right To Know Components

Chemical name: Sodium hydroxide

CAS number: 1310-73-2

Safety Data Sheet

2-B Clean/2-B Clean HD

Chemical name: Potassium hydroxide
CAS number: 1310-58-3

New Jersey Right To Know Components

Common name: SODIUM HYDROXIDE
CAS number: 1310-73-2

Common name: POTASSIUM HYDROXIDE
CAS number: 1310-58-3

Pennsylvania Right To Know Components

Chemical name: Sodium hydroxide
CAS number: 1310-73-2

Formaldehyde (CAS: 50-00-0)

Chemical name: Potassium hydroxide
CAS number: 1310-58-3

Toxic Substances Control Act (TSCA) Inventory

Chemical name: Sodium hydroxide
CAS number: 1310-73-2 (not regulated)

Sodium metasilicate pentahydrate
CAS: 6834-92-0: Listed

yes

OSHA Hazardous Chemical

Chemical name: Sodium hydroxide
CAS number: 1310-73-2

Super Fund (1986 SARA)

Chemical name: Sodium hydroxide
CAS number: 1310-73-2

Immediate Hazard

Rhode Island Right to Know

Chemical name: Sodium hydroxide
CAS number: 1310-73-2

SARA 311/312 Hazards

Acute Health Hazard

Chronic Health Hazard

DfE Surfactant

Poly(oxy-1,2-ethanediy), a-undecyl-w-hydroxy- 34398-01-1 meets the criteria of the US EPA Design for Environment (DfE) Surfactant screen and is listed on CleanGredients.

SARA 313 Components

0.03% methyl chloride

SECTION 16: Other information

Revision Date:
05/25/2016

Safety Data Sheet
2-B Clean/2-B Clean HD

Other Information:

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

Party Responsible for the Preparation of This Document

Ardex Laboratories, Inc. 2050 Byberry rd Philadelphia, PA 19116 T: 215-698-0500 ardexlabs.com

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

North America GHS US 2012