

MATERIAL SAFETY DATA SHEET

Section 1 - Material Identity	
Product Name IT'S OK SOLVENT - #6208	Product Use: CLEANING COMPOUND
Manufacturer(s) Supplier (s) Name & Address	Telephone Number: (215) 698-0500
ARDEX LABORATORIES, INC. 2050 BYBERRY ROAD PHILADELPHIA , PA 19116	Days: (215) 698-0500 Nights: CHEMTREC: 800/424-9300
DOT Proper Shipping Name: Terpene Hydrocarbons, n.o.s., 3, UN2319, PGIII	May be reclassified as a COMBUSTIBLE LIQUID when offered for transportation by ground in the US in containers up to 119 gallons.
FLAMMABLE	May also be reclassified as a CONSUMER COMMODITY ORM-D when shipped by vessel in the US in containers not exceeding 1.3 gallons.

Section 2 - Physical & Chemical Characteristics		
V.O.C.: 3.48% by weight when diluted 1:8 as directed. OTC VOC Compliant for 2005.	Solubility in Water by Weight: MISCIBLE	Boiling Point: 96-176 C (195-350 F)
Appearance and Odor: CLEAR, FREE-FLOWING ORANGE LIQUID WITH A CHARACTERISTIC ORANGE/CITRUS ODOR.	Specific Gravity: 0.80-1.2 (@20 DEG. C.)	Freezing Point -9 C (20 F) (FORMS SLURRY)
Vapor Pressure at 20EC: 4.5 (@20 DEG. C.)	Percent Volatile by Volume: 80-82%	Evap. Rate (Butyl Acetate=1): N/A

Section 3 -Ingredients & Specifications				
Materials	%	TLV	Hazard	CAS Number
d-LIMONENE		Not regulated		5989-27-5
alkanolamide				68440-04-0
Nonionic surfactant		Not regulated		9016-45-9
WATER				
Dye				
fragrance				

Section 4 - Fire & Explosion Hazard Data	
Flash Point & Method: 120 DEG. F.	
Flammable Limits in Air % by volume:	Lower: N/A Upper: N/A
Extinguishing Media: Any	
Special Fire Fighting Procedures: N/A	
Unusual Hazards: COMBUSTIBLE LIQUID!	

Section 5 - Health Hazard Data	
Route of Entry	a) Skin b) eyes:
Effects of Acute Exposure: <u>HEALTH: 2</u> <u>FLAMMABILITY: 2</u> <u>PHYSICAL HAZARD: 1</u> <u>PERSONAL PROTECTION G</u>	a) Skin Contact: IRRITANT. MAY BE ABSORBED THROUGH SKIN. THE THREAT IS GREATLY REDUCED WHEN THE PRODUCT IS USED IN THE DILUTED FORM.
	b) Eye Contact: IRRITANT. CAUSES CORNEAL EPITHELIAL DAMAGE (REVERSIBLE). MINIMAL THREAT WHEN USING DILUTED SOLUTION (1:64).
	c) Swallowing: LOW LEVEL OF TOXIC THREAT, INGESTION OF LARGE AMOUNTS CAN CAUSE CONVULSIONS AND SEVERE NAUSEA. REPORTS HAVE CLASSIFIED D-LIMONENE AS "GENERALLY ACCEPTED AS SAFE" (U.S. FDA).
	d) Skin Absorption: PROMPTLY FLUSH AREA WITH WATER. REMOVE CLOTHING IF PRESENT. IF IRRITATION PERSISTS GET MEDICAL ATTENTION.
	e) Inhalation: FINE MIST PRODUCES RESPIRATORY IRRITATION. THIS PRODUCT IS GENERALLY USED DILUTED WITH WATER, WHICH REDUCES THE THREAT.
Chronic Effects of Overexposure:	EYES – EXPOSURE CAUSES EYE IRRITATION. SYMPTOMS MAY INCLUDE STINGING, TEARING, REDNESS AND SWELLING. SKIN – EXPOSURE MAY CAUSE MILD SKIN IRRITATION. PROLONGED OR REPEATED EXPOSURE MAY DRY THE SKIN. SYMPTOMS ARE BURNING, DRYING AND CRACKING AND SKIN BURNS. PRE-EXISTING SKIN DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS MATERIAL. SWALLOWING – SINGLE DOSE ORAL TOXICITY IS LOW.

	SWALLOWING SMALL AMOUNTS DURING NORMAL HANDLING IS NOT LIKELY TO CAUSE HARMFUL EFFECTS: SWALLOWING LARGE AMOUNTS MAY BE HARMFUL.
Other Health Hazards:	N/A
Emergency and First Aid Procedures:	a) Skin: PROMPTLY FLUSH AREA WITH WATER. REMOVE CLOTHING IF PRESENT. IF IRRITATION PERSISTS GET MEDICAL ATTENTION.
	b) Eyes: FLUSH IMMEDIATELY WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES, LIFTING UPPER AND LOWER LIDS OCCASIONALLY. GET MEDICAL ATTENTION. CONTACT LENSES SHOULD NOT BE WORN WHEN WORKING WITH THIS CHEMICAL.
	c) Swallowing: IF THE PERSON IS CONSCIOUS, GIVE LARGE QUANTITIES OF WATER TO DILUTE. DO NOT ATTEMPT TO INDUCE VOMITING. KEEP WARM. CONTACT A POISON CONTROL CENTER OR PHYSICIAN IMMEDIATELY. THE DANGER IS REDUCED WITH THE DILUTED (1:4) AQUEOUS WORKING STRENGTH SOLUTION.
	d) Inhalation: MOVE PERSON TO FRESH AIR AT ONCE. IF BREATHING HAS STOPPED, PERFORM ARTIFICIAL RESPIRATION. KEEP THE AFFECTED PERSON WARM AND AT REST. GET MEDICAL ATTENTION AS SOON AS POSSIBLE. VAPORS BECOME A PROBLEM ONLY AT ELEVATED TEMPERATURE (LOW HAZARD AT AMBIENT TEMPERATURES.)

Carcinogen Evaluation N/A

Section 6 - Reactivity Data

Stability -	Yes
Conditions to Avoid for Stability	See below
Incompatibility (Materials to Avoid) -	Avoid strong oxidizers and strong acids.
Hazardous Polymerization -	Will not occur
Hazardous Decomposition/Byproducts	Toxic gases (such as formic acid and carbon monoxide)

Section 7 - Spill or Leak Procedures

Release/Spill Procedures	VENTILATE AREA. ABSORB INTO NON-REACTIVE MEDIA SUCH AS DIATOMACEOUS EARTH OR VERMICULITE; SWEEP INTO NON-REACTIVE VESSEL (I.E., STEEL DRUM OR PAIL)
	WASTE DISPOSAL METHOD: DISPOSE OF PRODUCT IN ACCORDANCE WITH LOCAL, COUNTY, STATE AND FEDERAL REGULATIONS.

Section 8 - Special Protection Information

Protective Equipment	Eyes: USE DUST-AND SPLASH-PROOF SAFETY GOGGLES WHERE THERE IS ANY POSSIBILITY OF LIQUID, MIST OR DUST CONTACTING THE EYES.
	Respirator: RECOMMENDED; DUST MASK
	Gloves: WEAR IMPERMEABLE GLOVES (BUTYL OR HEAVY VINYL LATEX TYPE)
	Other: PROTECTIVE EQUIPMENT – IF POSSIBILITY EXISTS FOR SPLASHING WEAR FACEGUARDS WITH SIDE SHIELDS. USE RESPIRATOR WHEN WORKING IN A TOTALLY CLOSED SYSTEM.
Ventilation	General Mechanical: None required
	Other: USE IN A WELL VENTILATED AREA

Section 9 - Special Precautions

Handling & Storage	General: N/A
	Other:

Section 10- Other Information

The information contained herein is based on data considered accurate. However, the information is provided without any warranty, expressed or implied, regarding its correctness. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility for personal injury or property damage to vendees, users or third parties caused by the material. We also do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.

Prepared By: ARDEX LABORATORIES, INC. New/Revision Date: 03/14/05